



■

Claims-Based Quality Measures

**CMS Physician Group Practice
Demonstration Project**

Chealsea Nather

26 January 2005

∴

Year 1 Quality Measures

DM-1: HbA1c Management

- *Percentage of patients with one or more A1c test(s)*

DM-2: HbA1c Management

- *Percentage of patients with most recent A1c level > 9.0% (poor control)*

DM-3: Blood Pressure Management

- *Percentage of patients with most recent BP M 140/90 mm Hg*

DM-4: Lipid Measurement

- *Percentage of patients with at least one low-density lipoprotein (LDL) cholesterol test*

DM-5: LDL Cholesterol Level

- *Percentage of patients with most recent LDL cholesterol < 130 mg/dl*

DM-6: Urine Protein Testing

- *Percentage of patients with at least one test for microalbumin during the measurement year; or who had evidence of medical attention for existing nephropathy (diagnosis of nephropathy or document of microalbuminuria or albuminuria)*

∴

Year 1 Quality Measures

DM-7: Eye Exam

■ *Percentage of patients who received a dilated eye exam or evaluation of retinal photographs by an optometrist or ophthalmologist during the reporting year, or during the prior year if patient is at low risk for retinopathy. A patient is considered low risk if all three of the following criteria are met: (1) the patient is not taking insulin; (2) has an A1c < 8.0%; and (3) has no evidence of retinopathy in the prior year.*

DM-8: Foot Exam

■ *Percent of eligible patients receiving at least one complete foot exam (visual inspection, sensory exam with monofilament, and pulse exam).*

PC-7: Influenza Vaccination

■ *The percentage of diabetic patients who received an influenza vaccination from September through February of the year prior to the measurement year.*

PC-8: Pneumonia Vaccination

■ *The percentage of diabetic patients, 65 years and older, who ever received a pneumococcal vaccination.*

∴

Year 1 Quality Measures

DM-7: Eye Exam

■ *Percentage of patients who received a dilated eye exam or evaluation of retinal photographs by an optometrist or ophthalmologist during the reporting year, or during the prior year if patient is at low risk for retinopathy. A patient is considered low risk if all three of the following criteria are met: (1) the patient is not taking insulin; (2) has an A1c < 8.0%; and (3) has no evidence of retinopathy in the prior year.*

DM-8: Foot Exam

■ *Percent of eligible patients receiving at least one complete foot exam (visual inspection, sensory exam with monofilament, and pulse exam).*

PC-7: Influenza Vaccination

■ *The percentage of diabetic patients who received an influenza vaccination from September through February of the year prior to the measurement year.*

PC-8: Pneumonia Vaccination

■ *The percentage of diabetic patients, 65 years and older, who ever received a pneumococcal vaccination.*

∴

Year 2 Quality Measures

CAD-1: Antiplatelet Therapy

HF-1: Left Ventricular Function (LVF) Assessment

CAD-2: Drug Therapy for Lowering LDL Cholesterol

HF-2: Left Ventricular Ejection Fraction Testing

CAD-3: Beta Blocker Therapy – Prior MI

HF-3: Weight Measurement

CAD-4: Blood Pressure

HF-4: Blood Pressure Screening

CAD-5: Lipid Profile

HF-5: Patient Education

CAD-6: LDL Cholesterol Level

HF-6: Beta-Blocker Therapy

CAD-7: ACE Inhibitor Therapy

HF-7: ACE Inhibitor Therapy

PC-7: Influenza Vaccination for HF patients.

HF-8: Warfarin Therapy for Patients with Atrial Fibrillation

PC-8: Pneumonia Vaccination for HF patients

∴

Year 3 Quality Measures

HTN-1: Blood Pressure Screening

HTN-2: Blood Pressure Control

HTN-3: Plan of Care

PC-5: Breast Cancer Screening

PC-6: Colorectal Cancer Screening